

	Type	Hits	Search Text
1	IS&R	2	("5933364").PN.
2	BRS	36902	(substrate with (holes))
3	BRS	5518	257/\$.ccls. and (substrate with (holes))
4	BRS	2537	257/\$.ccls. and (substrate with (holes)) and (transistor)
5	BRS	75	257/\$.ccls. and (substrate with (holes)) and (power adj transistor)
6	BRS	255	257/\$.ccls. and (substrate with (holes)) and (transistor or transistors) and ((conductor or conductors) with (holes))
7	BRS	57	257/\$.ccls. and (substrate with (through adj holes)) and (transistor or transistors) and ((conductor or conductors) with (holes))

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 16:18		
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 14:46		
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 14:47		
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 14:48		
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 15:02		
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 15:06		
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/21 15:07		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0